

SPHINX PANOPUS.

CHARACTER GENERICUS.

Antennæ medio crassiores, seu utraque extremitate attenuatæ, subprismaticæ.

Alæ deflexæ (volatu graviore respertino seu matutino).

Lin. Syst. Nat. p. 796.

CHARACTER SPECIFICUS, &c.

SPHINX alis gilvis fusco fasciatis, primoribus ocello nigro ad angulum interiorem.

SPHINX PANOPUS.

Gram. t. 224. f. A. B.

Insulam Javam incolet Sphinx Panopus, magnitudine vera in tabula depictus.

THE UNIVERSITY OF CHICAGO

PH.D. THESIS
SUBMITTED TO THE FACULTY OF THE DIVISION OF THE PHYSICAL SCIENCES
IN CANDIDACY FOR THE DEGREE OF DOCTOR OF PHILOSOPHY
BY
[Name]

DEPARTMENT OF CHEMISTRY
CHICAGO, ILLINOIS
[Date]

67c



P. N. C. D. S. v. S. S. S.

PANOPUS.

GENERIC CHARACTER.

Antennæ subprismatic, thickest in the middle,
and attenuated at each extremity.

Wings deflected.

SPECIFIC CHARACTER, &c.

Sphinx with buff-coloured wings barred with
brown; the upper pair marked by a black
ocellated spot at the interior angle.

PANOPUS.

Cram. pap. exot. t. 224. f. A. B.

This insect is a native of the island of Java, and is
represented on the plate in its natural size.